	Application No.	Applicant(s)	
Notice of Allowability			/
	10/714,148 Examiner	SHIRATORI ET AL. Art Unit	
	Christopher E Mahanay		
	Christopher E. Mahoney	2851	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to the amendment filed September 16, 2005.			
2. The allowed claim(s) is/are 14-21 and 35-37.			
 3.			
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application (PTC)-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 08), 7. ⊠ Examiner's Amendr		
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Stateme	ent of Reasons for Allo	wance
of Biological Material	9.		

Application/Control Number: 10/714,148

Art Unit: 2851

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Louis Weinstein on October 18, 2005.

The application has been amended as follows: Amend claim 20 as follows:

20. (Currently amended) A shutter device comprising:

a shutter blade;

a guide unit for guiding a portion of the shutter blade in a direction transverse to a path of movement of said blade at a location where the shutter blade is temporarily stopped or finishes the movement of the shutter blade; and

an a stationary absorbing member for absorbing kinetic energy of the shutter blade and positioned to abut the shutter blade portion when the shutter blade is guided by said guide unit.

Application/Control Number: 10/714,148

Art Unit: 2851

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher E. Mahoney whose telephone number is (571) 272-2122. The examiner can normally be reached on 8:30AM-5PM, Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on (571) 272-2258. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Christopher E Mahoney

Primary Examiner
Art Unit 2851